TK1159 - ZEBRA 96 XIIII Plus

Model: 96 XiIII Plus

SKU: TK1159

Year:



Description:

Zebra 96 XiIII Plus *multiple units available*

Standard Features:

Full function front panel and multilingual back-lit LCD display with user programmable password protection

Flash memory including 2.0MB non-volatile memory storage for downloadable objects ZebraLink TM - the revolutionary real-time connectivity and control solution ZBI TM (Zebra BASIC Interpreter)

WebView (requires optional ZebraNet ® PrintServer II)

Alert (requires optional ZebraNet PrintServer II)

Communications via serial RS-232 and bi-directional parallel port with auto detect USB 2.0 (480 Mbits/second) port

Thin film print head with E 3® Element Energy Control

Thermal transfer and thermal direct printing of bar codes, text, and graphics Dual media sensors, transmissive and reflective, selectable through software or front panel ZPL ${\mathbb R}$ or ZPL II ${\mathbb R}$ programming language, selectable through software or front panel ZBI ${\mathbb R}$ - Zebra BASIC interpreter for translation of foreign data streams into ZPL II 32 bit 133 Mhz RISC processor

TEKMART | WE GET PRODUCTIVE

16 MB SDRAM memory, 12 MB user-available, 4 MB non-volatile Flash memory Type I, II linear memory only up to 32 MB and future availability of Type III Series PC Card Interface

Simultaneous ATA-style PCMCIA and Compact Flash (CF) memory card support up to 1 GB (current market availability) for additional storage of fonts, graphics, logos, templates, and label formats or preprogrammed with optional and international fonts. PCMCIA is externally accessible and hot swappable. CF is internal.

Clear media side door - easy monitoring of supplies usage without opening the printer Zebra printer driver for Windows $^{\text{TM}}$ 3.X and 95/98/NT/2000 operating systems Internal real-time clock

Advanced label/media counters

Auto calibration-printer calibrates when printer is turned on or when printhead is closed with approximately two labels

Early Warning Systems-provide low label, low ribbon, and clean printhead alerts via the front panel and ZebraLink Alerts.

Click on "brochure" link to download detailed specifications.

