


TK483 - Toshiba IS 2200DF-200A Injection Molding Machine (2008)

Model: IS 2200DF-200A Injection Molding Machine

SKU:

Year: 2008



Description:

TOSHIBA IS2200 DF-200A (2008) Injection Molding Machine

Make: Toshiba

Model: IS 2200DF-200A

Year: 2008

Serial #: 826506

Hydraulic or Electric: Hydraulic

Controls: INJECTOVISOR V21

Unit's specifications

Tonnage: 2200 STD Tons

Shot Size (max gram weight): 10860 gr.

Clamp Style: Lock Nuts system
Clamping Force: 21500 kN
Clamp Stroke: Max 2600mm, Normal 1600mm
Open Daylight (Max): 2700 ~ 3500mm
Thickness of Mold: 900 ~ 1700 mm
Ejecting Force (Hydraulic): 672 kN
Ejector Stroke: 350 mm
Min and Max mold opening: 900-1700mm
Distance between tie bars (H x V): 1800mm x 1600mm
Platen Dimensions (H x V): 2450mm x 2250mm
Core-Pull: Yes
Screw diameter: 140mm

Power Specifications: 480 VAC, 3 Phase, 60 Hz
Hour meter: 29206 h

Machine specifications

Dimensions: 13.5m x 4m x 3.6m
Weight: 150 TONS



